Norman County

musym	muname	slope_r	slopelen_r_feet
Ad	Alluvial land, occasionally flooded	1	151
Af	Alluvial land, frequently flooded	1	151
Ar	Arveson loam	1	151
As	Arveson and Hamar soils, depressional	1	151
Aw	Augsburg and Wheatville loams	1	151
BaA	Barnes loam, 0 to 2 percent slopes	1	151
BaB	Barnes loam, 2 to 6 percent slopes	4	151
BaB2	Barnes loam, 2 to 6 percent slopes, eroded	4	151
BaC2	Barnes loam, 6 to 12 percent slopes, eroded	9	102
BbB2	Barnes-Langhei loams, 2 to 6 percent slopes, eroded	4	151
BcA	Bearden silty clay loam, 0 to 2 percent slopes	1	151
BcB	Bearden silty clay loam, 2 to 6 percent slopes	4	151
BcC2	Bearden silty clay loam, 2 to 8 percent slopes, eroded	5	151
Bf	Bearden-Fargo silty clay loams	2	151
Во	Borup loam, depressional	0.5	151
Вр	Borup and Glyndon loams	1	151
Br	Breaks and Alluvial land	0.5	98
CaA	Cashel silty clay, 0 to 2 percent slopes	1	151
CaC	Cashel silty clay, 2 to 8 percent slopes	5	151
Cb	Cathro muck	0.5	151
Cn	Colvin silty clay loam	1	151
Co	Colvin silty clay loam, depressional	0.5	151
DaB	Darnen silt loam, 1 to 4 percent slopes	3	151
Du	Dune land	3	0
FaA	Fargo silty clay loam, 0 to 1 percent slopes	1	151
FaB	Fargo silty clay loam, 1 to 6 percent slopes	2	151
FcA	Fargo silty clay, 0 to 1 percent slopes	1	151
FcB	Fargo silty clay, 1 to 6 percent slopes	2	151
Fd	Fargo silty clay, depressional	0.5	151
Ff	Flaming loamy fine sand, wind eroded	2	151
Fh	Flaming, Hamar, and Arveson soils	2	151
Fm	Flom silty clay loam	1	151

Fv	Flom and Vallers soils, depressional	0.5	151
FxA	Foxhome loam, 0 to 3 percent slopes	2	151
GIA	Glyndon loam, 0 to 2 percent slopes	1	151
GIB	Glyndon loam, 2 to 6 percent slopes	4	151
Gn	Glyndon loam, wind eroded	1	151
Gp	Gravel pits	25	0
Gr	Grimstad fine sandy loam	1	151
На	Hamar loamy fine sand	1	151
HeA	Hamerly silt loam, 0 to 1 percent slopes	0.5	151
HeB	Hamerly silt loam, 1 to 5 percent slopes	3	151
Hm	Hamerly-Vallers silt loams	3	151
Hn	Hangaard sandy loam	1	151
Но	Hegne-Fargo silty clays	1	151
Hv	Hegne-Viking complex	1	151
INT	Water, intermittent		0
KsA	Kittson loam, 0 to 2 percent slopes	1	151
KsC	Kittson loam, 2 to 8 percent slopes	5	151
KtA	Kittson loam, uplands, 0 to 1 percent slopes	0.5	151
KtB	Kittson loam, uplands, 1 to 5 percent slopes	3	151
LbC2	Langhei-Barnes loams, 6 to 12 percent slopes, eroded	9	102
LbD2	Langhei-Barnes loams, 12 to 18 percent slopes, eroded	15	59
LbE	Langhei-Barnes loams, 18 to 30 percent slopes	24	59
M-W	Water, miscellaneous		0
MaA	Maddock loamy fine sand, 0 to 2 percent slopes	1	151
MaC	Maddock loamy fine sand, 2 to 8 percent slopes	5	151
Me	Markey muck	0.5	151
Mh	Marsh	0.5	151
Mm	Mavie loam	1	151
PB	Pits, borrow	25	0
Ро	Poppleton loamy fine sand	1	151
Rc	Rockwell fine sandy loam	1	151
Rk	Rockwell and Kratka soils, depressional	0.5	151
Ro	Roliss loam	1	151
Rs	Roliss loam, depressional	0.5	151

Ru	Rondeau muck	0.5	151
Sc	Seelyeville muck	0.5	151
SdA	Sioux sandy loam, 0 to 2 percent slopes	1	151
SdB	Sioux sandy loam, 2 to 6 percent slopes	4	151
SgA	Sioux gravelly sandy loam, 0 to 2 percent slopes	1	151
SgC	Sioux gravelly sandy loam, 2 to 8 percent slopes	5	151
SmE	Sioux and Maddock soils, 12 to 36 percent slopes	24	59
SnA	Sverdrup fine sandy loam, 0 to 2 percent slopes	1	151
SnC	Sverdrup fine sandy loam, 2 to 8 percent slopes	5	151
SwA	Swenoda fine sandy loam, 0 to 2 percent slopes	1	151
SwC	Swenoda fine sandy loam, 2 to 8 percent slopes	5	151
Sy	Syrene sandy loam	1	151
To	Towner loamy fine sand	2	151
UIA	Ulen fine sandy loam, 0 to 2 percent slopes	1	151
Un	Ulen fine sandy loam, wind eroded	2	151
Va	Vallers silt loam	1	151
Vd	Vallers silt loam, depressional	0.5	151
Vk	Viking clay loam	1	151
W	Water		0
WaA	Wahpeton silty clay, 0 to 2 percent slopes	1	151
WaB	Wahpeton silty clay, 2 to 6 percent slopes	4	151
WaC	Wahpeton silty clay, 6 to 12 percent slopes	9	102
WkA	Waukon loam, 0 to 2 percent slopes	1	151
WkB	Waukon loam, 2 to 6 percent slopes	4	151
WkB2	Waukon loam, 2 to 6 percent slopes, eroded	4	151
WkC	Waukon loam, 6 to 12 percent slopes	9	102
WkD	Waukon loam, 12 to 18 percent slopes	15	59
Wm	Wheatville loam	2	151